






# Switches

Turfmaster no.	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
----------------	-------------	-------	---------	---

## GRAVELY

AAR8910	<p>Ball Safety Switch</p> <ul style="list-style-type: none"> <li>No. Of Positions: 2</li> <li>No. Of Terminals: 2</li> <li>9/16" mounting stem</li> <li>Normally closed</li> </ul>	<p>Safety Switch - 9/16" mounting stem. Normally closed, neutral safety. Found on <b>Gravelly</b> models: Pro Power, Pro Master, Pro, 2 and 4 wheel tractors.</p>	<p><b>Gravelly</b> 34640, 034640  <b>Scag</b> 48021  <b>Simplicity</b> 1654634, 1654634SM,  <b>Snapper</b> 1654634  <b>Toro</b> 28-4250, 8803700,</p>	
---------	--	---	---	---



## HONDA

AAB15620	<ul style="list-style-type: none"> <li>Stop Switch</li> <li>(1) male end.</li> <li>3/4" mounting stem,</li> <li>on/off indicator on plate</li> </ul>	<p>Fits Honda engines G100, G100K1, G100K2, G150, G200, GX31, GX35NT, GX100, GX110, GX120K1, GX140, GX160K1, GX200, GX200U, GX240, GX240K1, GX270, GX340, GX340K1, GX390K1, and GXH50</p>	<p>36100-ZE1-015  36100-ZH8-W41,  36100-883-005,  36100-ZE1-005  36100-883-811</p>	
AAB15605	<p>Stop Switch,</p> <ul style="list-style-type: none"> <li>1.2m</li> </ul>		<p>120cm length</p>	
CPV1601120400	<p>Switch</p>	<p>GXV160</p>		
CP200401000 CP390052002	<p>Oil Sensor Switch</p>	<p>GC135, GC160, GX100, GX120, GX160, GX200, GX240, GX270, GX340, GX390, GXH50,</p>	<p>34150-ZH7-013  <b>Replaces</b>  34150-ZH7-003  CP16001005</p>	

## HUSQVARNA

AHUS61-M24 AAKR-M24	<p>On / Off Switch</p>	<p>61 Power Pro 6100</p>	<p>503 71 71 01</p>	
------------------------	------------------------	--------------------------	---------------------	--

## KOMATSU ZENOAH

ASWIKOM3800 POWER PRO	<p>Switch</p> <ul style="list-style-type: none"> <li>Stop</li> </ul>	<p>GT200T, G2000T, 2500  G2500TS, G2500  G3200EZ 3800 G3800</p>	<p>577 83 43 01  <b>Replaces</b>  2850-74102,  28507102  574 00 85 01</p>	
PM3800-M12	<p>Switch</p> <ul style="list-style-type: none"> <li>Stop</li> </ul>	<p>3800</p>		
PM4500-M12	<p>Switch</p> <ul style="list-style-type: none"> <li>Stop</li> </ul>	<p>4500</p>		
PM52-75	<p>Switch</p> <ul style="list-style-type: none"> <li>Stop</li> </ul>	<p>5200</p>		
PM5200-M12	<p>Switch</p> <ul style="list-style-type: none"> <li>On / Off</li> </ul>	<p>5200</p>		
PMYD62.03.00-6	<p>Switch</p> <ul style="list-style-type: none"> <li>Stop</li> </ul>	<p>6200</p>		




# Switches

Turfmaster no.	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
----------------	-------------	-------	---------	---



## POWER PRO

PMGT21	On / Off Switch ■	Power Pro 650 Watt bent shaft trimmer GT21	PMGT21	
PMFYG450-22	Switch	Pole Pruner	PMFYG450-22	
PM49E-73	Earth Stop	49 cc Power Pro Chain Saw	4.90E-72	
PM52-75	On / Off Switch ■		52-75	
PM5200-M12	On / Off Switch ■	Chain Saw 5200	5200-M12	
PMEB-260.3	Stop Button Switch		EB-260.3	
TAN-PRO52-70	Stop Button Switch		420-65 520-70 CG328.1.1.1 PM420-65 PM520-70 PMCG328.1.1.1	
PM105K15 AAR7777	Stop Switch	Power Pro 1050 Chain Saw Stihl 070	105K15	
PM3WF-16.3.2.1	Stop Switch		3WF-16.3.2.1	
PMSG230.1.2-3	Stop Switch		SG230.1.2-3	
PMYD62.03.00-6	Stop Switch		YD62.03.00-6	
PM3800-M12	Switch O/ Off		3800-M12	


## ROBIN

AAB15630	Stop Switch. ■ L 62 mm	EC10, EY20,	EY15, EX17	066-99002-17 066-00003-71 X660000420	
AAB15639	Stop Switch. ■ L 120 mm	EC10, EY20,	EY15, EX17		
AAKR-M24	On/Off Switch	NB411			

## SCAG

AAR8911	Ball Safety Switch ■	Safety Switch - 9/16" mounting stem. Normally closed, neutral safety. Found on Gravely models: Pro Power, Pro Master, Pro, 2 and 4 wheel tractors.	Gravely 34640, 034640 Scag 48021 Simplicity 1654634 1654634SM, Toro 28-4250 8803700,	 
---------	-------------------------	--	---	---

## SNAPPER





AA33-241	Safety Switch		5-0810	
----------	---------------	--	--------	---

## STIHL






# Switches

Turfmaster no.	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
PM105K15 AAR7777	<ul style="list-style-type: none"> <li>■ Kill Switch for Stihl chain saw</li> <li><b>Measures:</b></li> <li>■ 3/4"</li> <li>■ 1"</li> <li>■ 1-1/2"</li> </ul>	MS 660, 066, TS 350, 024, MS 260, MS 260 C, 036, FS 410, 038, 090, 090 G, TS 08 S, TS 08, 032, 030, 031, 041 G, 041 AV, 08 S, 026, 064, MS 361, MS 361 C, 041 FB, P 835, P 840, MS 360, 070, MS 720, 045, 032	1100-430-0202, 1110-430-0202, 1110-430-0210, 1121-430-0200	
AAB15650	Toggle Switch, <ul style="list-style-type: none"> <li>■ On-off,</li> <li>■ fits Chainsaw, Trimmer.</li> </ul>			
AAST430-066	Toggle Switch, <ul style="list-style-type: none"> <li>■ 2 terminals "On/ Off"</li> <li>■ Mounting stem - 5/16" L</li> <li>■ with 3/8" - 24 THD</li> </ul>	<ul style="list-style-type: none"> <li>■ Mounting Stem Length: 5/16"</li> <li>■ Mounting Stem Thread: 3/8"-24</li> <li>■ Universal. (2) terminals- "On/Off".</li> </ul>	430066	
AAB15682	PTO Switch, <ul style="list-style-type: none"> <li>■ 5 terminals,</li> <li>■ L 37 mm</li> <li>■ W 24 mm.</li> </ul>	PTO Switch - (2) position, (6) terminals. Fits Ariens 936 series YT tractor models: 936002, 936003, 936004, 936005, 936006, 936008, 936009, 936010, 936011 & 936012.	<b>Ariens</b> 36024, 03602400, <b>Grasshopper</b> 604796, 184082, <b>Scag</b> 48787 <b>Snapper</b> 29715, 7029715 <b>Woods</b> 70422	
<b>YAMAHA</b>				
PS110H07	Stop Switch <ul style="list-style-type: none"> <li>■</li> </ul>	MT110	766-82550-00	
PS110H07	Stop Switch <ul style="list-style-type: none"> <li>■</li> </ul>	MT110	76G-82550-00 PS110-F6-6	
<b>MTD</b>				
AAST430-401	PTO Switch, <ul style="list-style-type: none"> <li>■</li> </ul>	PTO Switch. VERTICLE MOUNT. For Cub Cadet / MTD equipment. (2) position, (7) terminal, Bottom middle terminal blank and left side middle blank. Push - pull / snap mount. Fits Cub Cadet models: GT1554, GT2542, GT2544, GT2550, GT2554, SLT1550, SLT1554 and Z-force; also found on some Z42 - Z54, 364365, 1515 - 1529, 2130 - 2186 and GT2000	725-04175 725-3233 925-04175, 925-04258 925-3233	

# Switches


Turfmaster no.	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
AAR9656	PTO Switch, ■ 5 terminals, ■ L 37 mm ■ W 24 mm.	<b>Husqvarna</b> 2042LS, 2246LS, 2346LS, 2348LS, 2748GLS, 2754GLS, GT200, GT2254, GTH200, GTH220, GTH2248, GTH2250, GTH2254, GTH2448, GTH250, GTH2548, GTH2550, GTH2554, GTH2654, GTH2754, LTH130, LTH145, LTH1542, YT180, YTH145, YTH150, YTH1542, YTH160, YTH1746, YTH180, YTH1848, YTH18542, YTH20, YTH2042	<b>AYP</b> 146283, 140404, 154959, 154963, 169416, 169417, 174651, 174652, 174653, 532 17 46 51 <b>Replaces</b> 532 15 49 59 <b>DIXON</b> 5961, 539117238, <b>Husqvarna</b> 532 17 46 51, 539 10 17 68 <b>MURRAY</b> 94927, 6201-316, <b>SCAG</b> 481687, 700675, 27328, <b>SNAPPER</b> 35658	
AAR10895	Rely Assembly ■	<b>Description:</b> Relay Switch - Fits Autodrive riding mowers. 12 Volt, 20 amp. <b>YARD MAN</b> 325, 604,	725-1648, 925-1648	
AAST430-401	<b>Description:</b> PTO Switch ■ (2) position, ■ (8) terminal, ■ Bottom middle terminal blank. ■ Push - pull ■ snap mount. RED Knob	EZR1540, EZR1648, EZR1742, EZR2048, EZR1648, EZR1842, Most Zooms	<b>Ariens</b> 00522100, 5221, 522100 <b>Exmark</b> 1633673, 633673 <b>John Deere</b> AM118802, AM119139 <b>Kubota</b> K121162231 <b>MTD</b> 725-1716, 725-1752 725-3233, 925-1716, 925-1752, 925-3233, <b>Scag</b> 481635 <b>Snapper</b> 28542 <b>Toro / Wheel Horse</b> 926787, 926788, 939998, 939999, 942697,954108	
AAR9660	<b>Description:</b> Plunger Interlock Switch - (2) Position, (2) Terminal. NORMALLY OPEN - single pole. Replaces DELTA# 6400-54.	Fits Ariens EZR1440, 1540, 1640, 1648, 1742; GS22 GrandSierra. Husqvarna WG4815E, WG2615E and WH3615E. Troy Bilt 13035, 13036, 13037 gear drive tractors; 13039, 13040, 13060, 13062 hydro garden tractors; 13096, 13097, 13099 hydrostatic LTX tractors.	<b>Ariens</b> 03657100, 36571 <b>Ayp</b> (sears,roper) 104445X, <b>Bobcat</b> 38382, <b>Bunton</b> PL4518, <b>Exmark</b> 513051, <b>Ferris</b> 21451, 5021451, <b>Husqvarna</b> 532 10 44 45, 539 91 90 98, <b>Hustler</b> 781211, <b>John Deere</b> AM104884, <b>Kees</b> 919098, <b>Kubota</b> K256162251, <b>MTD</b> 725-1657A, 925-1657A, <b>Murray</b> 024273MA, 24273 <b>Scag</b> 481637, <b>Toro / Wheel Horse</b> 657410, <b>Troy Bilt</b> 1748723, <b>Yazoo</b> 1923025	

# Switches

Turfmaster no.	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
AAR9664	Plunger Interlock Switch ■ 2 Positions, ■ 2 Terminals ■ Single Post, ■ Right Angle Snap Mounted, ■ Normally Closed	. Found on <b>Ariens</b> models: 927037, 927043, 927045-924056, 927061, 927063, 927065, 927301-927308, 927310; <b>Husqvarna</b> models: IZ4821T and IZ6125T; John Deere models: 240, 245, 260, 285, 320, STX30, STX38, frontdecks 510 and F525; <b>Poulan</b> models: PP20H46A and PP24H50A; <b>Scag</b> Walk behinds and Turf Tiger; <b>Toro</b> all commercial grade walk behinds with 14, 16, 18 and 20 HP	<b>Ariens</b> 027514100, 02754100, 27541 <b>Ayp (sears,roper)</b> 160784 <b>Cub Cadet</b> 7253167, 9253167 <b>Dixon</b> 539107523 <b>Great Dane</b> D38001 <b>Husqvarna</b> 532 16 07 84 <b>John Deere</b> AM102119, AM103119 <b>Kubota</b> K112262282 <b>MTD</b> 725-3167 <b>Murray</b> 024273 57211 <b>Scag</b> 481638, 48717 <b>Simplicity</b> 1704379, 1704379SM, 7015707, <b>Snapper</b> 15707	
AAR9623	Plunger Interlock Switch ■ Ignition Type: Magneto ■ No. Of Positions: 4 ■ No. Of Terminals: 7 ■ 5/8" mounting stem	For engines equipped with fuel shut off solenoid - built since 1994	<b>AYP</b> 140303 <b>Briggs</b> 5412H, 5412K <b>Husqvarna</b> 532 14 03 01 <b>MTD</b> 725-1717, 925-1717 <b>Murray</b> 092556, 092556MA, 5412H, 925556, BS54124	
AAST430-770	Starter Switch ■ Ignition Type: Magneto ■ No. Of Positions: 3 ■ No. Of Terminals: 6 ■ 5/8" mounting stem	<b>HUSQVARNA</b> WH4817EFQ and WH5319EFQ <b>MTD</b> All lawn and garden tractors with Briggs and Stratton OHV engines (except auto drive stepthru frame models 1999 and newer) Lawn Tractor Frame 5	<b>MTD</b> 925-1396A <b>Replaces</b> 925-1396, 725-1396, 925-1125, 725-1396P, 725-1396 <b>Husqvarna</b> 539 10 17 70 <b>Murray</b> 1686734SM <b>Simplicity</b> 1686734SM, 1679006, 1686734, 1686734SM, 5020927 <b>Snapper</b> 1686734SM, 5020927	
AAST430-686	Plunger Interlock Switch ■ Double Pole, ■ Snap in Mount, ■ Normally open/normally Closed	<b>Poulan</b> PP11536, PP11536A, 380ZX, <b>Weed Eater</b> WE1136A, WE125N38A, WE125R38A, WE12536A, Over 150 <b>MTD</b> Models Lawn Tractors (1990 - 1995) <b>ARIENS</b> 934026 1848H and 934027 2248H High Sierra <b>TORO</b> 13AP60RP744, 13AX60RG744, 13AX60RH744 and 14AP80RP744 Troy Bilt 13025-13095 gear drive garden tractors; 13027, 13028 hydro suburban tractors	<b>ARIENS:</b> 00191256, 08828100 <b>AYP:</b> 109553X <b>BOBCAT:</b> 108208 <b>BUNTON:</b> PL7484 <b>DIXON:</b> 4242 539101080 539115802 <b>GRAVELY:</b> 08828100 <b>HUSQVARNA:</b> 532 10 95-53, 539 10 10-80 <b>JOHN DEERE:</b> AM128925 <b>MTD:</b> 725-3169A 925-3169A <b>Murray:</b> 91299 91299MA <b>SIMPLICITY:</b> 1717050 1717050SM, 5022094, 1-7590, 2-3355, 7023355.	 



# Switches

Turfmaster no.	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
AAR9660	Plunger Interlock Switch <ul style="list-style-type: none"> <li>■ Single Pole,</li> <li>■ Snap in Mount,</li> <li>■ Normally open</li> </ul>	Fits over 150 <b>Murray</b> Lawn Tractors <b>ARIENS</b> EZR1440, 1540, 1640, 1648, 1742; GS22 GrandSierra <b>HUSQVARNA</b> WG4815E, WG2615E and WH3615E <b>Troy Bilt</b> 13035, 13036, 13037 gear drive tractors;13039, 13040, 13060, 13062 hydro garden tractors;13096, 13097, 13099 hydrostatic LTX tractors	<b>ARIENS:</b> 03657100, D18038, <b>AYP:</b> 104445X <b>HUSQVARNA:</b> 532 10 44-45, 539 91 90-98 <b>JOHN DEERE:</b> AM104884 <b>Kubota:</b> K2561-62251 <b>MTD:</b> 1748723 <b>Murray:</b> 024273, 024273MA, 24273, 24273MA, 57211 <b>SCAG:</b> 481637 <b>TORO:</b> 65-7410 <b>Troy Bilt:</b> 1748723 <b>Woods:</b> 03657100	
AAB15689	Micro Switch	For local electric mowers Wolf, Rolux, Tandem, Southern Cross, Mirage, Alpha, Lawn Star	Rolux, Wolf, Tandem, Southern Cross, Mirage, Professional	