

Wheels & Parts

Turfmaster no.	Description	Replaces			Image may not depict the actual size, shape, etc.
AAB25401	Specifications: <ul style="list-style-type: none"> ■ Plastic Wheel- ■ White. ■ Diamond tread. ■ 6 x 1.50 ■ 1.5 Hub ■ 0.5" Bore 	6 x 1.50 x 1.5 Hub x 0.5" Bore		YES	
AAB25413	Specifications: <ul style="list-style-type: none"> ■ Plastic Wheel- ■ White. ■ Diamond tread. ■ 7 x 1.50 ■ 1.5 Hub ■ 0.5" Bore 	7 x 1.50 x 1.5 Hub x 0.5" Bore		YES	
AAB25414	Specifications: <ul style="list-style-type: none"> ■ Plastic Wheel- ■ White. ■ Diamond tread. ■ 8 x 1.75 ■ 1.5 Hub ■ 0.5" Bore 	8 x 1.75 x 1.5 Hub x 0.5" Bore		YES	
AAB25415	Specifications: <ul style="list-style-type: none"> ■ Plastic Wheel- ■ White. ■ Diamond tread. ■ 9 x 1.75 ■ 1.5 Hub ■ 0.5" Bore 	9 x 1.75 x 1.5 Hub x 0.5" Bore		YES	
AAB25327	Specifications: <ul style="list-style-type: none"> ■ Plastic Wheel ■ Grey. ■ Diamond tread. ■ 8 x 1.75" ■ Offset Hub 1-3/8", ■ 1/2" Bearings 	8x1.75" Offset Hub 1-3/8", 1/2" Bearings		YES	
AA72-103	Specifications: <ul style="list-style-type: none"> ■ Heafy Duty Steel Wheel has ■ Zerk fitting ■ Bore 1/2" ■ Hub 2" ■ offset ■ Size 10 x 1.75 ■ Tread Rib 	Ransomes 76168 76096-02 Bobcat 10" Steel Rear Wheel For 21"	Bobcat / Ransomes 76168, 76096-02 760962C	YES	
AAST175-117	Specifications: <ul style="list-style-type: none"> ■ Heafy Duty Steel Wheel ■ has Zerk fitting ■ Bore 3/4" ■ Hub 2 1/2" centerd ■ Size 6-200 ■ Tread Rib 	Fits Models: Gravely 40" And 50" Mid-size Units	Gravely 07132800 Replaces 011386 GA011386	YES	

Wheels & Parts

Turfmaster no.	Description	Replaces			Image may not depict the actual size, shape, etc.
ÅAR9156	Specifications <ul style="list-style-type: none"> ■ Rear Wheel ■ 6 spoke , ■ Semi-pneumatic , ■ Black ■ Ball bearings , ■ Bore: 1/2 " ■ Hub: 2 7/16 " ■ CENTERED, ■ Tread: Diamond , ■ Wheel Size: 16-1.75 	AYP, MTD Models PP500HK, PP500HKA Fits Models: Scotts E2250010	AYP 177637 Replaces 700735 // 851801, 734-1661, 734-1842, 934-1842 Mtd 634-0002, Noma 332031, 071686, 71686	YES	
TB1021028	Specifications: <ul style="list-style-type: none"> ■ 	Stiletto, Turbo Mower, Contractor TANAKA Honda		YES	
AA72-103 AA72-	Wheel Specifications: <ul style="list-style-type: none"> ■ 8" x 2.00" ■ Pack Size 1 ■ Item Type : 8" x 2.00" ■ •Description : 1/2" 	Murray 43618 Over 150 models	Murray 071132MA Replaces 643618MA, 71094E858, 71094E760, 71132MA, 7771132MA, 672082	YES	
AA72-452	Specifications: <ul style="list-style-type: none"> ■ Semi-Pneumatic ■ Drive Wheel ■ 8 x 200 size, ■ 1/2" ID, ■ Plastic hub & gear, ■ 1-3/8" hub length, ■ turf tread 	Murray	Murray 071133MA Replaces 671133MA, 71094E834, 71094E736, 7771133MA, 71133, 71539, 43617, 774011, 672083, 672208, 671133	YES	
AAR272	Steel Wheel, Specifications: <ul style="list-style-type: none"> ■ Bore: 7/16 " ■ Tread: Diamond ■ Wheel Size: 7-1.50 ■ Hub: 1 5/8 " OFFSET ■ Back-to-back ball bearings 	Steel back-to-back ball bearing wheel; fits SV180 18" 3 HP cast deck side discharge series 0; SV185 18" 3.5 HP cast deck side discharge series 1; SV210 21" series 0 and SV211 21" series 1 cast iron deck side discharge	Snapper 1-1083, 7011083	YES	
AAR2991	Specifications: <ul style="list-style-type: none"> ■ Plastic wheel; ■ fits 21" BBC push and propelled models 	Snapper fits 21" BBC push and propelled models series 2, 4, 6; 21" 3.5 HP steel deck (1980's) series 1, 0; 21" 4HP steel deck (1980's) series 0, 1	Snapper 1-8189, 7018189, 7- 04385, 31047, 7022795	YES	

Wheels & Parts

Turfmaster no.	Description	Replaces			Image may not depict the actual size, shape, etc.
AAST205-374	<p>Specifications:</p> <ul style="list-style-type: none"> ■ 53 Tooth Gear Drive ■ Tread: Bar ■ White Rim; Old Style Plastic ■ Bushing ■ Wheel Size: 8-2.00 ■ Wheel With Gear ■ Bore: 1/2 " 	<p>AYP, Husqvarna 56DHS, 56SF, 56SFE AYP Many 22" rear bagger mowers (1999 and before), many 22" rotary lawnmowers (1999 and before) and many 20" rear bagger rotary mowers (1999 and before)</p>	<p>Ayp 700953, Husqvarna 532 70 09-53, Husqvarna 532 19 34-44, Partner 532 70 09-53, Partner 532 19 31-44</p>	YES	
AAR8197	<p>Specifications:</p> <ul style="list-style-type: none"> ■ Pneumatic ■ Hub: 3 1/4 " Centered ■ Grease Zerk ■ Tread: Smooth ■ Bore: 3/4 " ■ Wheel Size: 9-3.50-4 	<p>Fits Models: Ariens 1232 And 1440 Zoom Sport; Gravely 36", 40", 50" And 60" Decks, Pro 200 And 300series Walk Behinds</p>	<p>Replaces OEM: Ariens 07130100, Carlisle Gra-3, Carlisle 457051, Gravely 045205, Gravely 037797</p>	YES	
AAR9605	<p>Specifications:</p> <ul style="list-style-type: none"> ■ Hub: 6 " ■ Cushioned Ride ■ Specially Formulated Compound ■ Wheel Size: 13-5.00-6 ■ Bore: 5/8 " ■ Flat-Proof Design Eliminates Costly Down Time ■ Commercial Durability And Capacity ■ Tread: Smooth ■ Reliance Tire 	<p>Scag</p>	<p>Carlisle 353051, Scag 481551</p>	YES	
AAR6915	<p>Specifications:</p> <ul style="list-style-type: none"> ■ Wheel Size: 5-1 3/8 ■ Bore: 1/2 " ■ Plastic Heavy-Duty Deck Wheel ■ With Metal Bushing ■ Hub: 1 1/2 " Centered ■ Contains Recyclable Material ■ Tread: Smooth 	<p>Fits Models : ■ John Deere Older Style 38" And 46" Decks; ■ Troy Bilt 14025, 50042s Side Discharge Center Mount Mowers, 51042s 42" Side Discharge Attachment And 14026 48" Side Discharge Center Mount Mowers; ■ Toro 14001-14003, 36", 42" And 46" Decks</p>	<p>AYP 105455X, 532 10 54 55, Craftsman 10545X, John Deere AM33718, Toro 61-9760, 530 10 54 55, 0181036, 1735583, 1758846</p>	YES	
AAB25503	<p>Specifications:</p> <ul style="list-style-type: none"> ■ Contains recyclable material ■ 4 3/4"(120mm) OD ■ Bore: 1/2 " ■ Hub: 1 1/2 " (38mm) OFFSET, ■ Tread: Smooth , ■ Wheel Size: 5-1 3/8 	<p>Toro MTD 1985 - 1998 Ride on Lawnmower Models 300, 400, 500, 600, 700, 800,, Cub Cadet LT1042, 42: CUT as rear deck wheels & 2155, 2166, 1527, LT1018 as rear deck wheel</p>	<p>MTD 41434, 734-0973, 734-0796, 934-0973, GW-7340973 Toro 112-0037, 61-9760 Bolens 1735583 Roper AYP 105455</p>	YES	



Wheels & Parts

Turfmaster no.	Description	Replaces		Image may not depict the actual size, shape, etc.
AAR425	Wheel Assy, Specifications: <ul style="list-style-type: none"> ■ 8" x 1.75" ■ 3/8" bearing ■ 1-1/2" offset hub 	MTD 125-222-000 (1985) Lawn Mower 125-224-000 (1985) Lawn Mower 125-226-000 (1985) Lawn Mower 125-284-000 (1985) Lawn Mower 125-286-000 (1985) Lawn Mower	MTD 734-0645 Replaces 734-0644	YES 
AAB25515	<ul style="list-style-type: none"> ■ Deck wheel, Specifications: <ul style="list-style-type: none"> ■ ID 13/32" ■ Width 1-1/2" ■ Height 3" 	Murray	Murray 023257MA Replaces 23257	YES 
AAB25507	<ul style="list-style-type: none"> ■ Deck wheel, Specifications: <ul style="list-style-type: none"> ■ ID 1/2" , ■ W 2-3/4" , ■ H 5" , ■ 2-1/2" offset hub. 	Fits Models: Murray 38", 40" And 50" Decks, 2000 And Older; Simplicity 38", 40" And 50" Decks; Toro 13ap60rp744 And 14ap90rp744; John Deere 38", 40" And 50" Decks; Mtd 46" Deck H; Cub Cadet 38", 40" And 50" Decks; Ariens 42" Ezr 1542, Ezr 1742, Ezr 1842, 48" Ezr 2048 And Zoom 1640 HUSQVARNA YTH2242TDF YTH2648TDF GTH2752TF CTH2642TE	Ariens 03471700, 34717 AYP 133957, 174873 Cub Cadet 734-3058B Murray 92683, 092265, 92265, 92683 MTD 734-3058B, 753- 04856A, 934- 3058 John Deere AM116299 , M84690 Simplicity 1700184 1700184SM Snapper 29264 7029264 Toro 112-0677 Excel Hustler 031997 Husqvarna 532 13 39 57 532 10 76 10 539 10 76 10 532 17 48 73	YES 
AAR12245	<ul style="list-style-type: none"> ■ Deck Wheel Specifications: <ul style="list-style-type: none"> ■ Bore: 11/16 " , ■ Hub: 3 5/16 " CENTERED, ■ Tread: Smooth ■ Wheel Size: 3 	Scag Models: Turf Tiger, Tiger Cat, Tiger Cub, Wildcat, Cheetah, V-Ride, Pro-V, STHM, SWZ, SW And Fits These Decks 61", 72"	Scag 482295 Replaces 45046 43026	YES 
AAST210-025	Specifications: <ul style="list-style-type: none"> ■ Deck Roller ■ Bore: 5/8 " , ■ Wheel Size: 2 13/16 , ■ Length: 10 " , ■ Hub: 10 " , ■ Tread: Smooth 	Scag , Snapper, Simplicity SCAG 61" and 72" riders	Scag 48038, Simplicity 5020785, 5020785SM, Snapper 5020785	YES 

Wheels & Parts

Turfmaster no.	Description	Replaces			Image may not depict the actual size, shape, etc.
AAR12648	<p>Specifications:</p> <ul style="list-style-type: none"> Deck Wheel 5" Bore : 1/2 " Hub: 2 1/2 " OFFSET, Tread: Smooth , Wheel Size: 5-2.75 	<p>Fits Models:</p> <p>Mtd Fits 42", 50" And 54" Decks;</p> <p>Cub Cadet Fits 42", 50" And 54" Decks Cub Cadet Fit over 150 models</p>	<p>MTD 734-04155 734-04039, 734-0145</p> <p>Toro 112-0677</p>	YES	
AAR6918	<p>Specifications:</p> <ul style="list-style-type: none"> Deck wheel, Bore: 1/2 " Hub: 1 3/8 " OFFSET, Tread: Smooth , Wheel Size: 5 7/8-1 11/16 , 1-3/8" offset hub. 	<p>MIRAGE AMF, Noma, Dynamark JD Cub Cadet</p> <p>G4315010 (1997) 42 Inch Cut Lawn Tractor G4315110 (1997) 42 Inch Cut Lawn Tractor G4315140 (1997) 42 Inch Cut Lawn Tractor G4315160 (1997) 42 Inch Cut Lawn Tractor G4318030 (1997) 42 Inch Cut Lawn Tractor</p>	<p>MIRAGE 302611, 52584, 52204 (AMF, Noma, Dynamark) John DEERE AM32639, AM54223, Cub Cadet 734-3000 Murray 302611</p>	YES	
AAR10225	<p>Specifications:</p> <ul style="list-style-type: none"> Anti Sca;lp Wheel Bore: 3/8 " Hub: 3 " CENTERED, Tread: Smooth , Wheel Size: 4 1/2 	<p>Scag : Scag Turf Tiger</p>	<p>Scag 481632</p>	YES	
AAST210-207	<p>Specifications</p> <ul style="list-style-type: none"> Deck wheel Bore: 1/2 " Hub: 9 13/16 " CENTERED, Tread: smooth , Wheel Size: 3-9 5/8 	<p>Fits Models :</p> <p>AYP Gth220, Hagth220b, Halt150e, Lt150 (1999 Andbefore), Pp1644j, Pp1644ja, Pp18h44j, Pp18h44ja, Pp20h50j, Pp20h50ja (1994), Pp1844k, Pp1844ka, Pp22h50k And Pp22h50ka (1995) GT 200 (1994-07) Ride</p>	<p>AYP Husqvarna 532 13 22 64 Replaces , , 132264</p>	YES	
AAR12060	<p>Specifications</p> <ul style="list-style-type: none"> Deck Wheel : Bore: 1/2 " Hub: 1 7/8 " OFFSET, Tread: SMOOTH , Wheel Size: 4-2.00 	<p>Simplicity FOR 1998 AND LATER REGENT 38" & 44" DECKS</p>	<p>Simplicity 1714760SM, 1714760, Snapper 1714760, Snapper Pro 1714760,</p>	YES	

HUBS

AAR9600	<p>Tapered Hub</p> <p>Specifications:</p> <ul style="list-style-type: none"> 	<p>Scag Z CAT 42A</p>	<p>Scag 482646, 48926</p>	YES	
AAR10774	<p>Tapered Hub</p> <p>Specifications:</p> <ul style="list-style-type: none"> 	<p>Scag</p>	<p>Scag 22383, 481536</p>	YES	

Wheels & Parts

Turfmaster no.	Description	Replaces			Image may not depict the actual size, shape, etc.
AAR10775	Tapered Hub Specifications: ■	Scag	Scag 481536	YES	
AAR6532	Specifications ■ Tapered Hub : ■ Tapered lock hub , ■ Bore: 1 " , ■ Keyway: 1/4 "	Scag	Scag 48141	YES	